

# KATUNGA PRIMARY SCHOOL



## ANAPHYLAXIS POLICY

### Ministerial Order 706 – Anaphylaxis Management in Schools

#### School Statement

The school will fully comply with Ministerial Order 706 and the associated Guidelines published and amended by the Department from time to time. We acknowledge the School's responsibility to develop and maintain an Anaphylaxis Management Policy.

#### Individual Anaphylaxis Management Plans

The Principal will ensure that an Individual Anaphylaxis Management Plan is developed, in consultation with the student's Parents, for any student who has been diagnosed by a Medical Practitioner as being at risk of anaphylaxis.

The Individual Anaphylaxis Management Plan will be in place as soon as practicable after the student enrolls, and where possible before their first day of school.

The Individual Anaphylaxis Management Plan will set out the following:

- information about the student's medical condition that relates to allergy and the potential for anaphylactic reaction, including the type of allergy/allergies the student has (based on a written diagnosis from a Medical Practitioner);
- strategies to minimise the risk of exposure to known and notified allergens while the student is under the care or supervision of School Staff, for in-school and out-of-school settings including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the School;
- the name of the person(s) responsible for implementing the strategies;
- information on where the student's medication will be stored;
- the student's emergency contact details; and
- an ASCIA Action Plan.

School Staff will then implement and monitor the student's Individual Anaphylaxis Management Plan.

The student's Individual Anaphylaxis Management Plan will be reviewed, in consultation with the student's Parents in all of the following circumstances:

- annually;
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes;
- as soon as practicable after the student has an anaphylactic reaction at School; and
- when the student is to participate in an off-site activity, such as camps and excursions, or at special events conducted, organised or attended by the School (eg. class parties, elective subjects, cultural days, fetes, incursions).



## **KATUNGA PRIMARY SCHOOL**

The School's Anaphylaxis Management Policy states that it is the responsibility of the Parents to:

- provide the ASCIA Action Plan;
- inform the School in writing if their child's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes and if relevant, provide an updated ASCIA Action Plan;
- provide an up to date photo for the ASCIA Action Plan when that Plan is provided to the School and when it is reviewed; and
- provide the School with an Adrenaline Autoinjector that is current and not expired for their child.

### **Prevention Strategies**

This section details the Risk Minimisation and Prevention Strategies that Katunga Primary School will put in place for all relevant in-school and out-of-school settings which include (but are not limited to) the following:

- during classroom activities (including class rotations, specialist and elective classes);
- between classes and other breaks;
- in canteens;
- during recess and lunchtimes;
- before and after school; and
- special events including incursions, sports, cultural days, fetes or class parties, excursions and camps.

### **School Management and Emergency Response**

Katunga Primary School's Anaphylaxis Management Policy includes procedures for emergency response to anaphylactic reactions. The procedures include the following:

- a complete and up to date list of students identified as having a medical condition that relates to allergy and the potential for anaphylactic reaction;
- details of Individual Anaphylaxis Management Plans and ASCIA Action Plans and where these can be located:
  - in a classroom;
  - in the school yard;
  - in all school buildings and sites including gymnasiums and halls;
  - on school excursions;
  - on school camps; and
  - at special events conducted, organised or attended by the school.
- Information about the storage and accessibility of Adrenaline Autoinjectors;
- how communication with School Staff, students and Parents is to occur in accordance with a communications plan.



# KATUNGA PRIMARY SCHOOL

## Adrenaline Autoinjectors for General Use

The Principal will purchase Adrenaline Autoinjector(s) for General Use (purchased by the School) and as a back up to those supplied by Parents.

The Principal will determine the number of additional Adrenaline Autoinjector(s) required. In doing so, the Principal will take into account the following relevant considerations:

- the number of students enrolled at the School who have been diagnosed as being at risk of anaphylaxis;
- the accessibility of Adrenaline Autoinjectors that have been provided by Parents of students who have been diagnosed as being at risk of anaphylaxis;
- the availability and sufficient supply of Adrenaline Autoinjectors for General Use in specified locations at the School, including
  - in the school yard, and at excursions, camps and special events conducted or organised by the School; and
- the Adrenaline Autoinjectors for General Use have a limited life, usually expiring within 12-18 months, and will need to be replaced at the School's expense, either at the time of use or expiry, whichever is first.

Note: Adrenaline Autoinjectors for General Use are available for purchase at any chemist. No prescriptions are necessary.

## Communication Plan

This section sets out a Communication Plan to provide information to all School Staff, students and Parents about anaphylaxis and the School's Anaphylaxis Management Policy.

The Communication Plan includes strategies for advising School Staff, students and Parents about how to respond to an anaphylactic reaction by a student in various environments including:

- during normal school activities including in the classroom, in the school yard, in all school buildings and sites including gymnasiums and halls; and
- during off-site or out of school activities, including on excursions, school camps and at special events conducted or organised by the School.

The Communication Plan includes procedures to inform volunteers and casual relief staff of students with a medical condition that relates to allergy and the potential for anaphylactic reaction and their role in responding to an anaphylactic reaction by a student in their care.

It is the responsibility of the Principal of the School to ensure that relevant School Staff are:

- trained; and
- briefed at least twice per calendar year.

## Staff Training

The following School Staff will be appropriately trained:



## KATUNGA PRIMARY SCHOOL

- School Staff who conduct classes that students with a medical condition that relates to allergy and the potential for anaphylactic reaction; and
- Any further School Staff that are determined by the Principal.

The identified School Staff will undertake the following training:

- an Anaphylaxis Management Training Course in the three years prior; and
- participate in a briefing, to occur twice per calendar year (with the first briefing to be held at the beginning of the school year) on:
  - o the School's Anaphylaxis Management Policy;
  - o the causes, symptoms and treatment of anaphylaxis;
  - o the identities of the students with a medical condition that relates to an allergy and the potential for anaphylactic reaction, and where their medication is located;
  - o how to use an Adrenaline Autoinjector, including hands on practise with a trainer Adrenaline Autoinjector device;
  - o the School's general first aid and emergency response procedures; and
  - o the location of, and access to, Adrenaline Autoinjector that have been provided by Parents or purchased by the School for general use.

The briefing must be conducted by a member of School Staff who has successfully completed an Anaphylaxis Management Training Course in the last 12 months.

In the event that the relevant training and briefing has not occurred, the Principal will develop an interim Individual Anaphylaxis Management Plan in consultation with the Parents of any affected student with a medical condition that relates to allergy and the potential for anaphylactic reaction. Training will be provided to relevant School Staff as soon as practicable after the student enrolls, and preferably before the student's first day at School.

The Principal will ensure that while the student is under the care or supervision of the School, including excursions, yard duty, camps and special event days, there is a sufficient number of School Staff present who have successfully completed an Anaphylaxis Management Training Course in the three years prior.

Note: A video has been developed and can be viewed from <http://www.education.vic.gov.au/school/teachers/health/Pages/anaphylaxisschl.aspx>

### **Annual Risk Management Checklist**

The Principal will complete an annual Risk Management Checklist as published by the Department of Education and Early Childhood Development to monitor compliance with their obligations.

Note: A template of the Risk Management Checklist is attached to this document and can be found at Appendix 4 of the Anaphylaxis Guidelines for Victorian Schools or the Department's website: <http://www.education.vic.gov.au/school/teachers/health/Pages/anaphylaxisschl.aspx>

# KATUNGA PRIMARY SCHOOL



# KATUNGA PRIMARY SCHOOL



## Individual Anaphylaxis Management Plan

This plan is to be completed by the Principal or nominee on the basis of information from the student's medical practitioner (ASCIA Action Plan for Anaphylaxis) provided by the Parent.

It is the Parents' responsibility to provide the School with a copy of the student's ASCIA Action Plan for Anaphylaxis containing the emergency procedures plan (signed by the student's Medical Practitioner) and an up-to-date photo of the student - to be appended to this plan; and to inform the school if their child's medical condition changes.

<b>School</b>		<b>Phone</b>	
<b>Student</b>			
<b>DOB</b>		<b>Year level</b>	
<b>Severely allergic to:</b>			
<b>Other health conditions</b>			
<b>Medication at school</b>			
<b>EMERGENCY CONTACT DETAILS (PARENT)</b>			
<b>Name</b>		<b>Name</b>	
<b>Relationship</b>		<b>Relationship</b>	
<b>Home phone</b>		<b>Home phone</b>	
<b>Work phone</b>		<b>Work phone</b>	
<b>Mobile</b>		<b>Mobile</b>	
<b>Address</b>		<b>Address</b>	
<b>EMERGENCY CONTACT DETAILS (ALTERNATE)</b>			
<b>Name</b>		<b>Name</b>	
<b>Relationship</b>		<b>Relationship</b>	
<b>Home phone</b>		<b>Home phone</b>	
<b>Work phone</b>		<b>Work phone</b>	
<b>Mobile</b>		<b>Mobile</b>	
<b>Address</b>		<b>Address</b>	
<b>Medical practitioner contact</b>	<b>Name</b>		
	<b>Phone</b>		
<b>Emergency care to be provided at school</b>			

# KATUNGA PRIMARY SCHOOL



<b>Storage for Adrenaline Autoinjector (device specific) (EpiPen®/ Anapen®)</b>	
---	--

## ENVIRONMENT

To be completed by Principal or nominee. Please consider each environment/area (on and off school site) the student will be in for the year, e.g. classroom, canteen, food tech room, sports oval, excursions and camps etc.

**Name of environment/area:**

Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?

**Name of environment/area:**

Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?

**Name of environment/area:**

Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?

**Name of environment/area:**

Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?

**Name of environment/area:**

Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?

# KATUNGA PRIMARY SCHOOL



(Continues on next page)





australasian society of clinical immunology and allergy  
[www.allergy.org.au](http://www.allergy.org.au)


## ACTION PLAN FOR

# Anaphylaxis

**For use with EpiPen® Adrenaline Autoinjectors**

Name: \_\_\_\_\_

Date of birth: \_\_\_\_\_



Confirmed allergens: \_\_\_\_\_

Asthma    Yes     No

Family/emergency contact name(s): \_\_\_\_\_

Work Ph: \_\_\_\_\_

Home Ph: \_\_\_\_\_

Mobile Ph: \_\_\_\_\_

Plan prepared by: \_\_\_\_\_

Dr: \_\_\_\_\_

Signed: \_\_\_\_\_

Date: \_\_\_\_\_


### How to give EpiPen®



Form fist around EpiPen® and PULL OFF BLUE SAFETY RELEASE.



PLACE ORANGE END against outer mid-thigh (with or without clothing).



PUSH DOWN HARD until a click is heard or felt and hold in place for 10 seconds.

REMOVE EpiPen®. Massage injection site for 10 seconds.

Instructions are also on the device label and at:  
[www.allergy.org.au/anaphylaxis](http://www.allergy.org.au/anaphylaxis)

### MILD TO MODERATE ALLERGIC REACTION

- Swelling of lips, face, eyes
- Hives or welts
- Tingling mouth
- Abdominal pain, vomiting (these are signs of a severe allergic reaction to insects)

### ACTION

- For insect allergy, flick out sting if visible. Do not remove ticks.**
- Stay with person and call for help
- Locate EpiPen® or EpiPen® Jr
- Give other medications (if prescribed) .....
- Dose: .....
- Phone family/emergency contact

**Mild to moderate allergic reactions may or may not precede anaphylaxis**

**Watch for any one of the following signs of anaphylaxis**

### ANAPHYLAXIS (SEVERE ALLERGIC REACTION)

- Difficult/noisy breathing
- Swelling of tongue
- Swelling/tightness in throat
- Difficulty talking and/or hoarse voice
- Wheeze or persistent cough
- Persistent dizziness or collapse
- Pale and floppy (young children)

### ACTION

- 1 Lay person flat. Do not allow them to stand or walk. If breathing is difficult allow them to sit.**
- 2 Give EpiPen® or EpiPen® Jr**
- 3 Phone ambulance\* 000 (AU), 111 (NZ), 112 (mobile)**
- 4 Phone family/emergency contact**
- 5 Further adrenaline doses may be given if no response after 5 minutes (if another adrenaline autoinjector is available)**

#### If in doubt, give adrenaline autoinjector

**Commence CPR at any time if person is unresponsive and not breathing normally. If uncertain whether it is asthma or anaphylaxis, give adrenaline autoinjector FIRST, then asthma reliever.**

EpiPen® is generally prescribed for adults and children over 5 years.

EpiPen® Jr is generally prescribed for children aged 1-5 years.

\*Medical observation in hospital for at least 4 hours is recommended after anaphylaxis.

Additional information \_\_\_\_\_

Note: This is a medical document that can only be completed and signed by the patient's treating medical doctor and cannot be altered without their permission.




**ascia**  
australasian society of clinical immunology and allergy  
[www.allergy.org.au](http://www.allergy.org.au)

**ACTION PLAN FOR**  
**Anaphylaxis**

For use with Anapen® Adrenaline Autoinjectors

Name: \_\_\_\_\_

Date of birth: \_\_\_\_\_



Confirmed allergens:  
\_\_\_\_\_

Asthma Yes  No

Family/emergency contact name(s):  
\_\_\_\_\_

Work Ph: \_\_\_\_\_

Home Ph: \_\_\_\_\_

Mobile Ph: \_\_\_\_\_

Plan prepared by:  
Dr: \_\_\_\_\_


Signed: \_\_\_\_\_

Date: \_\_\_\_\_


**How to give Anapen®**




PULL OFF BLACK NEEDLE SHIELD.



PULL OFF GREY SAFETY CAP from red button.



PLACE NEEDLE END FIRMLY against outer mid-thigh at 90° angle (with or without clothing).



PRESS RED BUTTON so it clicks and hold for 10 seconds. REMOVE Anapen® and DO NOT touch needle. Massage injection site for 10 seconds.

Instructions are also on the device label and at:  
[www.allergy.org.au/anaphylaxis](http://www.allergy.org.au/anaphylaxis)

**MILD TO MODERATE ALLERGIC REACTION**

- Swelling of lips, face, eyes
- Hives or welts
- Tingling mouth
- Abdominal pain, vomiting (these are signs of a severe allergic reaction to insects)

**ACTION**

- For insect allergy, flick out sting if visible. Do not remove ticks.
- Stay with person and call for help
- Locate Anapen® 300 or Anapen® 150
- Give other medications (if prescribed) .....
- Dose: .....
- Phone family/emergency contact

**Mild to moderate allergic reactions may or may not precede anaphylaxis**

Watch for any one of the following signs of anaphylaxis

**ANAPHYLAXIS (SEVERE ALLERGIC REACTION)**

- Difficult/noisy breathing
- Swelling of tongue
- Swelling/tightness in throat
- Difficulty talking and/or hoarse voice
- Wheeze or persistent cough
- Persistent dizziness or collapse
- Pale and floppy (young children)

**ACTION**

- 1 Lay person flat. Do not allow them to stand or walk. If breathing is difficult allow them to sit.**
- 2 Give Anapen® 300 or Anapen® 150**
- 3 Phone ambulance\* 000 (AU), 111 (NZ), 112 (mobile)**
- 4 Phone family/emergency contact**
- 5 Further adrenaline doses may be given if no response after 5 minutes (if another adrenaline autoinjector is available)**

**If in doubt, give adrenaline autoinjector**

Commence CPR at any time if person is unresponsive and not breathing normally. If uncertain whether it is asthma or anaphylaxis, give adrenaline autoinjector FIRST, then asthma reliever.

Anapen® 300 is generally prescribed for adults and children over 5 years.

Anapen® 150 is generally prescribed for children aged 1-5 years.

\*Medical observation in hospital for at least 4 hours is recommended after anaphylaxis.

Additional information \_\_\_\_\_

Note: This is a medical document that can only be completed and signed by the patient's treating medical doctor and cannot be altered without their permission.

# KATUNGA PRIMARY SCHOOL



This Individual Anaphylaxis Management Plan will be reviewed on any of the following occurrences (whichever happen earlier):

- annually;
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes ;
- as soon as practicable after the student has an anaphylactic reaction at School; and
- when the student is to participate in an off-site activity, such as camps and excursions, or at special events conducted, organised or attended by the School (eg. class parties, elective subjects, cultural days, fetes, incursions).

I have been consulted in the development of this Individual Anaphylaxis Management Plan.

I consent to the risk minimisation strategies proposed.

Risk minimisation strategies are available at Chapter 8 - Prevention Strategies of the Anaphylaxis Guidelines

Signature of parent:	
Date:	
I have consulted the Parents of the students and the relevant School Staff who will be involved in the implementation of this Individual Anaphylaxis Management Plan.	
Signature of Principal (or nominee):	
Date:	



# KATUNGA PRIMARY SCHOOL

## Annual Risk Management Checklist

School Name:	Katunga Primary School
Date of Review:	
Who completed this checklist?	Name:
	Position:
Review given to:	Name
	Position
Comments:	

### General Information

1. How many current students have been diagnosed as being at risk of anaphylaxis, and have been prescribed an Adrenaline Autoinjector?	
2. How many of these students carry their Adrenaline Autoinjector on their person?	
3. Have any students ever had an allergic reaction requiring medical intervention at school?	<input type="checkbox"/> Yes <input type="checkbox"/> No
a. If Yes, how many times?	
4. Have any students ever had an Anaphylactic Reaction at school?	<input type="checkbox"/> Yes <input type="checkbox"/> No
a. If Yes, how many students?	
b. If Yes, how many times	
5. Has a staff member been required to administer an Adrenaline Autoinjector to a student?	<input type="checkbox"/> Yes <input type="checkbox"/> No
a. If Yes, how many times?	
6. Was every incident in which a student suffered an anaphylactic reaction reported via the Incident Reporting and Information System (IRIS)?	<input type="checkbox"/> Yes <input type="checkbox"/> No

### SECTION 1: Individual Anaphylaxis Management Plans

7. Does every student who has been diagnosed as being at risk of anaphylaxis and prescribed an Adrenaline Autoinjector have an Individual Anaphylaxis Management Plan and ASCIA Action Plan completed and signed by a prescribed Medical Practitioner?	<input type="checkbox"/> Yes <input type="checkbox"/> No
8. Are all Individual Anaphylaxis Management Plans reviewed regularly with Parents (at least annually)?	<input type="checkbox"/> Yes <input type="checkbox"/> No



## KATUNGA PRIMARY SCHOOL

9. Do the Individual Anaphylaxis Management Plans set out strategies to minimise the risk of exposure to allergens for the following in-school and out of class settings?	
a. During classroom activities, including elective classes	<input type="checkbox"/> Yes <input type="checkbox"/> No
b. In canteens or during lunch or snack times	<input type="checkbox"/> Yes <input type="checkbox"/> No
c. Before and after School, in the school yard and during breaks	<input type="checkbox"/> Yes <input type="checkbox"/> No
d. For special events, such as sports days, class parties and extra-curricular activities	<input type="checkbox"/> Yes <input type="checkbox"/> No
e. For excursions and camps	<input type="checkbox"/> Yes <input type="checkbox"/> No
f. Other	<input type="checkbox"/> Yes <input type="checkbox"/> No
10. Do all students who carry an Adrenaline Autoinjector on their person have a copy of their ASCIA Action Plan kept at the School (provided by the Parent)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
a. Where are they kept?	
11. Does the ASCIA Action Plan include a recent photo of the student?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>SECTION 2: Storage and Accessibility of Adrenaline Autoinjectors</b>	
12. Where are the student(s) Adrenaline Autoinjectors stored?	
13. Do all School Staff know where the School's Adrenaline Autoinjectors for General Use are stored?	<input type="checkbox"/> Yes <input type="checkbox"/> No
14. Are the Adrenaline Autoinjectors stored at room temperature (not refrigerated)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
15. Is the storage safe?	<input type="checkbox"/> Yes <input type="checkbox"/> No
16. Is the storage unlocked and accessible to School Staff at all times?  Comments:	<input type="checkbox"/> Yes <input type="checkbox"/> No
17. Are the Adrenaline Autoinjectors easy to find?  Comments:	<input type="checkbox"/> Yes <input type="checkbox"/> No



# KATUNGA PRIMARY SCHOOL

18. Is a copy of student's Individual Anaphylaxis Management Plan (including the ASCIA Action Plan) kept together with the student's Adrenaline Autoinjector?	<input type="checkbox"/> Yes <input type="checkbox"/> No
19. Are the Adrenaline Autoinjectors and Individual Anaphylaxis Management Plans (including the ASCIA Action Plans) clearly labelled with the student's names?	<input type="checkbox"/> Yes <input type="checkbox"/> No
20. Has someone been designated to check the Adrenaline Autoinjector expiry dates on a regular basis? Who? .....	<input type="checkbox"/> Yes <input type="checkbox"/> No
21. Are there Adrenaline Autoinjectors which are currently in the possession of the School and which have expired?	<input type="checkbox"/> Yes <input type="checkbox"/> No
22. Has the School signed up to EpiClub or ANA-alert (optional free reminder services)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
23. Do all School Staff know where the Adrenaline Autoinjectors and the Individual Anaphylaxis Management Plans are stored?	<input type="checkbox"/> Yes <input type="checkbox"/> No
24. Has the School purchased Adrenaline Autoinjector(s) for General Use, and have they been placed in the School's first aid kit(s)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
25. Where are these first aid kits located?	
26. Is the Adrenaline Autoinjector for General Use clearly labelled as the 'General Use' Adrenaline Autoinjector?	<input type="checkbox"/> Yes <input type="checkbox"/> No
27. Is there a register for signing Adrenaline Autoinjectors in and out when taken for excursions, camps etc?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>SECTION 3: Prevention Strategies</b>	
28. Have you done a risk assessment to identify potential accidental exposure to allergens for all students who have been diagnosed as being at risk of anaphylaxis?	<input type="checkbox"/> Yes <input type="checkbox"/> No
29. Have you implemented any of the prevention strategies in the Anaphylaxis Guidelines? If not record why?	<input type="checkbox"/> Yes <input type="checkbox"/> No
30. Have all School Staff who conduct classes with students with a medical condition that relates to allergy and the potential for anaphylactic reaction successfully completed an Anaphylaxis Management Training Course in the three years prior and participated in a twice yearly briefing?	<input type="checkbox"/> Yes <input type="checkbox"/> No
31. Are there always sufficient School Staff members on yard duty who have successfully completed an Anaphylaxis Management Training Course in the three years prior?	<input type="checkbox"/> Yes <input type="checkbox"/> No



# KATUNGA PRIMARY SCHOOL

SECTION 4: School Management and Emergency Response	
32. Does the School have procedures for emergency responses to anaphylactic reactions? Are they clearly documented and communicated to all staff?	<input type="checkbox"/> Yes <input type="checkbox"/> No
33. Do School Staff know when their training needs to be renewed?	<input type="checkbox"/> Yes <input type="checkbox"/> No
34. Have you developed Emergency Response Procedures for when an allergic reaction occurs?	<input type="checkbox"/> Yes <input type="checkbox"/> No
a. In the class room?	<input type="checkbox"/> Yes <input type="checkbox"/> No
b. In the school yard?	<input type="checkbox"/> Yes <input type="checkbox"/> No
c. In all School buildings and sites, including gymnasiums and halls?	<input type="checkbox"/> Yes <input type="checkbox"/> No
d. At school camps and excursions?	<input type="checkbox"/> Yes <input type="checkbox"/> No
e. On special event days (such as sports days) conducted, organised or attended by the School?	<input type="checkbox"/> Yes <input type="checkbox"/> No
35. Does your plan include who will call the Ambulance?	<input type="checkbox"/> Yes <input type="checkbox"/> No
36. Is there a designated person who will be sent to collect the student's Adrenaline Autoinjector and Individual Anaphylaxis Management Plan (including the ASCIA Action Plan)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
37. Have you checked how long it will take to get to the Adrenaline Autoinjector and Individual Anaphylaxis Management Plan (including the ASCIA Action Plan) to a student from various areas of the School including:	<input type="checkbox"/> Yes <input type="checkbox"/> No
a. The class room?	<input type="checkbox"/> Yes <input type="checkbox"/> No
b. The school yard?	<input type="checkbox"/> Yes <input type="checkbox"/> No
c. The sports field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
38. On excursions or other out of school events is there a plan for who is responsible for ensuring the Adrenaline Autoinjector(s) and Individual Anaphylaxis Management Plans (including the ASCIA Action Plan) and the Adrenaline Autoinjector for General Use are correctly stored and available for use?	<input type="checkbox"/> Yes <input type="checkbox"/> No
39. Who will make these arrangements during excursions? .....	
40. Who will make these arrangements during camps? .....	
41. Who will make these arrangements during sporting activities? .....	
42. Is there a process for post incident support in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No



## KATUNGA PRIMARY SCHOOL

43. Have all School Staff who conduct classes that students with a medical condition that relates to allergy and the potential for an anaphylactic reaction and any other staff identified by the Principal, been briefed on:	
a. The School's Anaphylaxis Management Policy?	<input type="checkbox"/> Yes <input type="checkbox"/> No
b. The causes, symptoms and treatment of anaphylaxis?	<input type="checkbox"/> Yes <input type="checkbox"/> No
c. The identities of students with a medical condition that relates to allergy and the potential for an anaphylactic reaction, and who are prescribed an Adrenaline Autoinjector, including where their medication is located?	<input type="checkbox"/> Yes <input type="checkbox"/> No
d. How to use an Adrenaline Autoinjector, including hands on practise with a trainer Adrenaline Autoinjector?	<input type="checkbox"/> Yes <input type="checkbox"/> No
e. The School's general first aid and emergency response procedures for all in-school and out-of-school environments?	<input type="checkbox"/> Yes <input type="checkbox"/> No
f. Where the Adrenaline Autoinjector(s) for General Use is kept?	<input type="checkbox"/> Yes <input type="checkbox"/> No
g. Where the Adrenaline Autoinjectors for individual students are located including if they carry it on their person?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>SECTION 4: Communication Plan</b>	
44. Is there a Communication Plan in place to provide information about anaphylaxis and the School's policies?	
a. To School Staff?	<input type="checkbox"/> Yes <input type="checkbox"/> No
b. To students?	<input type="checkbox"/> Yes <input type="checkbox"/> No
c. To Parents?	<input type="checkbox"/> Yes <input type="checkbox"/> No
d. To volunteers?	<input type="checkbox"/> Yes <input type="checkbox"/> No
e. To casual relief staff?	<input type="checkbox"/> Yes <input type="checkbox"/> No
45. Is there a process for distributing this information to the relevant School Staff?	<input type="checkbox"/> Yes <input type="checkbox"/> No
a. What is it?	
46. How is this information kept up to date?	
47. Are there strategies in place to increase awareness about severe allergies among students for all in-school and out-of-school environments?	<input type="checkbox"/> Yes <input type="checkbox"/> No



## KATUNGA PRIMARY SCHOOL

48. What are they?	
--------------------	--

### **Communication:**

Katunga Primary School has a process in place where it communicates its policies to staff, students, guardians, parents and the school community by placing its policies on the school website and making them available to anyone who comes into the office and requests to see them.

**Ratified:** This policy has been ratified by School Council in July 2018.